

BUSTER+PUNCH

LONDON

[product.]

KITCHEN TAP / MIXER / PULL OUT SPRAY

[action. **SINGLE LEVER MIXER.**]

[water. **WARM + COLD.**]

[knurl. **LINEAR.**]

[range. **KITCHEN.**]

A kitchen tap with single lever mixer with pull out spray. This tap has been cast, sand-blasted and machined from solid metal in Italy. It features our signature linear-knurl pattern and is refined by hand. Available in four metal finishes: steel, brass, gun metal and welders black.



[finish. **BRASS.**]



[finish. **GUN METAL.**]




[finish. **WELDERS BLACK.**]



[finish. **STEEL.**]

[type. **KITCHEN TAP / MIXER WITH PULL OUT SPRAY.**]

[info. **MEASUREMENTS.**]



[info. **SPECIFICATIONS.**]

A kitchen mixer tap with pull out spray, with a single lever action that mixes water from the hot and cold pipes in your kitchen.

The mixer tap with pull out spray can be installed on a worktop with a maximum thickness of 70mm. There are no components available for fixing this tap on a worktop with a thickness of greater than 70mm.

Minimum recommended water pressure: 10.2 PSI (0.7 BAR).

Maximum recommended water pressure: 72 PSI (5 BAR).

Recommended maximum hot water temperature: 70 °C (158°F).

Recommended temperature range: 5 – 60 °C (41 – 140°F).

UK flexible connector hose diameter: 1/2" ø

EU flexible connector hose diameter: 3/8" ø

Note: exceeding these temperatures or water pressures can result in damage to the tap. A pressure reducing valve may be required to be fitted in high water pressure situations.

[info. **FINISH & SKU NUMBERS.**]

[finish.]

[UK.]

[EU.]

 Steel	RKT-071664	C0-052626
 Brass	RKT-051665	C0-072625
 Gun Metal	RKT-351667	C0-592627
 Welders Black	RKT-591666	C0-352628

[info. **INCLUDED.**]

1 x Kitchen Mixer Tap with Pull Out Spray

2 x Flexible connector hoses

1 x Tap Base and set of washers

1 x Threaded bar and nut

1 x Supporting tap brace (for surfaces with thickness <5mm)

[info. **INSTALLATION TOOLS REQUIRED.**]

1 x Adjustable spanner

[please. **NOTE.**]

All Buster + Punch mixer taps conform to standard EN817. In some cases, local housing regulations may require mixer taps to be of a higher minimum water pressure standard. In this instance we would recommend consulting with a certified plumber about installing a pressure regulator or similar device.

Mixer taps are tested to work with a max. pressure of 10 bar (1000 kPa) and recommended working pressure range is 1.0 – 5.0 bar (100 kPa – 500 kPa).

[info. **CARE INSTRUCTIONS.**]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.